



Australian Government

Bureau of Meteorology



GHR SST HW8 SST at ABOM

Christopher Griffin¹, Leon Majewski¹

¹Observations and Infrastructure Division, Bureau of Meteorology, Melbourne

GHR SST XVII, Washington DC, 6th-10th June 2016




Australian Government

Bureau of Meteorology



World Meteorological Organization

Weather • Climate • Water





Australian Government

Bureau of Meteorology

What is provided

- "Full disk" L2P *skin* SST
 - One per satellite reception (up to every 10 min)
 - Nominally 2km resolution
- "GHRSSST" format
 - Lossless, compressed netCDF4
 - Projection information follows CF conventions
- Pixel by pixel
 - Skin Sea Surface Temperature
 - Quality
 - Bias and standard deviation estimates






Australian Government

Bureau of Meteorology


What is provided

quality_level



0 (blue) 4,5 (yellow/red)

sea_surface_temperature



270 K (blue) ...315 K (red)




Australian Government

Bureau of Meteorology


What is provided

sses_standard_deviation



0 K (blue) ... 0.5 K (purple) ... 1.5 K (red)

sses_bias



-1 K (blue) ... 1 K (red)



Australian Government

Bureau of Meteorology

Our approach

1. TUNE: Use Suomi-NPP VIIRS SST L2P (NOAA-ACSPPO) (apply cool skin correction) as a "standard" for Himawari-8 brightness temperatures
2. RETRIEVE: Determine Himawari-8 SST from the regressed rule(s)
3. SSES: Validate against drifting buoys – model bias and standard deviation. (near real time model)
4. SSES: Validation over longer time series which adjusts bias and standard deviation models. ("delayed" model)
5. Repeat 4 relatively frequently, repeat 1 infrequently



Australian Government

Bureau of Meteorology

Algorithm(s)

- Regressed - Single (LRG2.12)
 - One equation for Day and Night
 - No day/night algebraic discontinuity
 - Long wave length infra-red
- Regressed - Dual (LRG2.16)
 - One algorithm for Day
 - One algorithm for Night
 - Algorithms are independent
 - Shorter wave length infra-red is used at night






Australian Government

Bureau of Meteorology

Day/Night regression LRG2.12

$$\begin{aligned} \text{SST} = & \text{BT}_9 (a_9 + g_9(\sec \theta_z - 1)) + \\ & \text{BT}_{13} (a_{13} + g_{13}(\sec \theta_z - 1)) + \\ & \text{BT}_{14} (a_{14} + g_{14}(\sec \theta_z - 1)) + \\ & \text{BT}_{15} (a_{15} + g_{15}(\sec \theta_z - 1)) + \\ & T_0 \end{aligned}$$

SRFs of Himawari-8/AHI Infrared Bands (September 2013)





Australian Government


Bureau of Meteorology

Dual regression LRG2.16

$$\begin{aligned} \text{SST}_{\text{day}} = & \text{BT}_9 (d_9 + g_9(\sec \theta_z - 1)) + \\ & \text{BT}_{13} (d_{13} + g_{13}(\sec \theta_z - 1)) + \\ & \text{BT}_{14} (d_{14} + g_{14}(\sec \theta_z - 1)) + \\ & \text{BT}_{15} (d_{15} + g_{15}(\sec \theta_z - 1)) + \\ & T_0 \end{aligned}$$

$$\begin{aligned} \text{SST}_{\text{night}} = & \text{BT}_7 (n_7 + h_7(\sec \theta_z - 1)) + \\ & \text{BT}_9 (n_9 + h_9(\sec \theta_z - 1)) + \\ & \text{BT}_{13} (n_{13} + h_{13}(\sec \theta_z - 1)) + \\ & \text{BT}_{14} (n_{14} + h_{14}(\sec \theta_z - 1)) + \\ & \text{BT}_{15} (n_{15} + h_{15}(\sec \theta_z - 1)) + \\ & T_0 \end{aligned}$$

SRFs of Himawari-8/AHI Infrared Bands (September 2013)





Australian Government

Bureau of Meteorology

Large sample "problem"


- Huge number of matches
- Fitting is optimized for overall RMS error
- Thinned by simple random sampling
- Matches are weighted based on their frequency in a phase space that includes view angles, brightness temperatures, latitude and sea surface temperatures.





Australian Government

Bureau of Meteorology

Validation - Single regression



GHRSSST L2P LRG2.12 HW8 SST Single (Day and Night) Algorithm, daily
Distribution Himawari-8 , last 78 days, 2016-03-08 to 2016-05-24







Australian Government

Bureau of Meteorology

Validation - Single regression



GHRSSST L2P LRG2.12 HW8 SST Single (Day and Night) Algorithm, daily (day time)
Distribution Himawari-8 , last 78 days, 2016-03-08 to 2016-05-24







Australian Government

Bureau of Meteorology

Validation - Single regression



GHRSSST L2P LRG2.12 HW8 SST Single (Day and Night) Algorithm, daily (night time)
Distribution Himawari-8 , last 78 days, 2016-03-08 to 2016-05-24






Australian Government

Bureau of Meteorology

Validation - Single regression

GHRSSST L2P LRG2.12 HW8 SST Single (Day and Night) Algorithm, daily (day time)
Deviations Himawari-8 , last 78 days, 2016-03-08 to 2016-05-24






Australian Government

Bureau of Meteorology

Products ?


- Hourly
 - Median SST ?
 - With diurnal components ?
 - With indications of cloud coverage ?



- Daily (especially night)
 - 15 to 5 degrees before local sunrise

• Interpolated

• Gap filled




Preserve measurements



Australian Government

Bureau of Meteorology

Products ?






Australian Government

Bureau of Meteorology

Products ?



Integrated **Marine**
Observing System






Australian Government

Bureau of Meteorology

Products ?



Integrated **Marine**
Observing System






Australian Government

Bureau of Meteorology

Areas for improvement



- Coastal warming is (somewhat ??) resolved.
- Diurnal warming is seen.

However:


- Cloud identification is problematic.
- The baseline SEVIRI cloud mask (as implemented in GEOCAT) is in the process of being tuned.
- Better use of temporal information



Australian Government

Bureau of Meteorology

Areas for improvement





Australian Government

Bureau of Meteorology

Access

Access: Limited at the moment

General GHRSSST / IMOS contact:

Helen Beggs: H.Beggs@bom.gov.au

General HW8 / Validation contact:

Chris Griffin: C.Griffin@bom.gov.au



**KEEP
CALM
AND
WATCH THIS
SPACE!**



Australian Government

Bureau of Meteorology

Questions ?

*Thank
You*

Christopher Griffin cgriffin@bom.gov.au